




Focus on Delight



COMMERCIAL VEHICLE LIGHTING

2025-26

MANUFACTURING & TESTING FACILITIES





About Us

Dear Customers, In this second edition of the Pingaax Automotive Industries profile, we have integrated more product families: Universal Semi Sealed Beams, Head Lamps, Work Lamps, Auxiliary Lamps, Tail Lamps, Side Indicators, Led Lamps, Halogen Bulbs, Incandescent - Miniature Bulbs and Led Miniatures Bulbs. The specific standards that we apply to our range of lamps allow us to offer you diversity of products with special high performance which is design-oriented. Being subjected to rigorous tests our high quality products provide an optimal level of light output even in the most adverse weather conditions. This ensures the durability and high performance of our products along with lowest possible failure rates and dazzling brightness.



Vision



Mission



Quality Policy

CONTENT

05-10	AUTOMOTIVE BULBS
11-12	MINIATURE AND INCANDESCENT BULBS
13-20	AUTOMOTIVE HEAD LAMPS
21-28	AUXILIARY LAMPS WORK LAMPS
29-36	LED LAMPS
37-37	HOLDERS / WIRING
38-38	TAIL LAMPS / INDICATORS





Focus on Delight



AUTOMOTIVE BULBS



H1



Fig. No. 1



Fig. No. 2

Part No.	Voltage	Wattage	Base	Color	Fig No.	ECE	Features
H1	12V	55W	P14.5s	Clear	1		Standard
H1	12V	100W	P14.5s	Clear	1		Higher Wattage
H1	24V	70W	P14.5s	Clear	1		Standard
H1	24V	100W	P14.5s	Clear	1		Higher Wattage
H1	12V	55W	P14.5s	Blue	2		Standard
H1	12V	100W	P14.5s	Blue	2		Higher Wattage
H1	24V	70W	P14.5s	Blue	2		Standard
H1	24V	100W	P14.5s	Blue	2		Higher Wattage

LOW BEAM, HIGH BEAM, FOG LAMP (WHEN IT APPLIES)

Packaging	Content	Master Pack
Individual Box	1N	1200 Pcs
Plastic Case	2N	100 Sets
Blister Pack Available		

H3




Fig. No. 3



Fig. No. 4

Part No.	Voltage	Wattage	Base	Color	Fig No.	ECE	Features
H3	12V	55W	PK22s	Clear	3		Standard
H3	12V	100W	PK22s	Clear	3		Higher Wattage
H3	24V	70W	PK22s	Clear	3		Standard
H3	24V	100W	PK22s	Clear	3		Higher Wattage
H3	12V	55W	PK22s	Blue	4		Standard
H3	12V	100W	PK22s	Blue	4		Higher Wattage
H3	24V	70W	PK22s	Blue	4		Standard
H3	24V	100W	PK22s	Blue	4		Higher Wattage

Packaging	Content	Master Pack
Individual Box	1N	1200 Pcs
Plastic Case	2N	100 Sets
Blister Pack Available		

H4



Fig. No. 5



Fig. No. 6

Part No.	Voltage	Wattage	Base	Color	Fig NO.	ECE	Features
H4	12V	60/55W	P43t	Clear	5		Standard
H4	12V	60/55W	P45t	Clear	5		Standard
H4	12V	100/90CP	P43t	Clear	5		Higher Wattage
H4	12V	100/90CP	P45t	Clear	5		Higher Wattage
H4	12V	100/90W	P43t	Clear	5		Higher Wattage
H4	12V	100/90W	P45t	Clear	5		Higher Wattage
H4	12V	130/100W	P43t	Clear	5		Higher Wattage
H4	12V	130/100W	P45t	Clear	5		Higher Wattage
H4	24V	75/70W	P43t	Clear	5		Standard
H4	24V	75/70W	P45t	Clear	5		Standard
H4	24V	100/90CP	P43t	Clear	5		Higher Wattage
H4	24V	100/90CP	P45t	Clear	5		Higher Wattage
H4	24V	100/90W	P43t	Clear	5		Higher Wattage
H4	24V	100/90W	P45t	Clear	5		Higher Wattage
H4	24V	130/100W	P43t	Clear	5		Higher Wattage
H4	24V	130/100W	P45t	Clear	5		Higher Wattage
H4	12V	60/55W	P43t	Blue	6		Standard
H4	12V	60/55W	P45t	Blue	6		Standard
H4	12V	100/90CP	P43t	Blue	6		Higher Wattage
H4	12V	100/90CP	P45t	Blue	6		Higher Wattage
H4	12V	100/90W	P43t	Blue	6		Higher Wattage
H4	12V	100/90W	P45t	Blue	6		Higher Wattage
H4	12V	130/100W	P43t	Blue	6		Higher Wattage
H4	12V	130/100W	P45t	Blue	6		Higher Wattage
H4	24V	75/70W	P43t	Blue	6		Standard
H4	24V	75/70W	P45t	Blue	6		Standard
H4	24V	100/90CP	P43t	Blue	6		Higher Wattage
H4	24V	100/90CP	P45t	Blue	6		Higher Wattage
H4	24V	100/90W	P43t	Blue	6		Higher Wattage
H4	24V	100/90W	P45t	Blue	6		Higher Wattage
H4	24V	130/100W	P43t	Blue	6		Higher Wattage
H4	24V	130/100W	P45t	Blue	6		Higher Wattage

LOW BEAM, HIGH BEAM, FOG LAMP (WHEN IT APPLIES)

Packaging	Content	Master Pack
Individual Box	1N	400 Pcs
Plastic Case	2N	100 Sets
Blister Pack Available		

H7



Fig. No. 7



Fig. No. 8

Part No.	Voltage	Wattage	Base	Color	Fig No.	ECE	Features
H7	12V	55W	PX26d	Clear	7		Standard
H7	12V	100W	PX26d	Clear	7		Higher Wattage
H7	24V	70W	PX26d	Clear	7		Standard
H7	24V	100W	PX26d	Clear	7		Higher Wattage
H7	12V	55W	PX26d	Blue	8		Standard
H7	12V	100W	PX26d	Blue	8		Higher Wattage
H7	24V	70W	PX26d	Blue	8		Standard
H7	24V	100W	PX26d	Blue	8		Higher Wattage

LOW BEAM, HIGH BEAM, FOG LAMP (WHEN IT APPLIES)

Packaging	Content	Master Pack
Individual Box	1N	400 Pcs
Plastic Case	2N	100 Sets
Blister Pack Available		

H8, H9, H11



Fig. No. 9



Fig. No. 10



Fig. No. 11

Part No.	Voltage	Wattage	Base	Color	Fig No.	ECE	Features
H8	12V	35W	PGJ 19-1	Clear	9		Standard
H9	12V	65W	PGJ 19-5	Clear	10		Standard
H11	12V	55W	PGJ 19-2	Clear	11		Standard
H11	24V	70W	PGJ 19-2	Clear	11		Standard

Packaging	Content	Master Pack
Individual Box	1N	400 Pcs
Plastic Case	2N	100 Sets
Blister Pack Available		

880 Series



Fig. No. 12



Fig. No. 13

Part No.	Voltage	Wattage	Base	Color	Fig No.	ECE	Features
880	12V	27W	PG13	Clear	12		Standard
881	12V	27W	PGJ13	Clear	13		Standard
884	12V	27W	PG13	Clear	14		Standard
889	12V	27W	PGJ13	Clear	15		Standard
890	12V	27W	PG13	Clear	16		Standard



Fig. No. 14



Fig. No. 15



Fig. No. 16

Packaging	Content	Master Pack
Individual Box	1N	400 Pcs
Plastic Case	2N	100 Sets
Blister Pack Available		

9000 Series



Fig. No. 17



Fig. No. 18



Fig. No. 19



Fig. No. 20

Part No.	Voltage	Wattage	Base	Color	Fig No.	ECE	DOT	Features
9004	12V	65/45W	P29t	Clear	17			Standard
9004	12V	65/45W	P29t	Blue	18			Standard
9007	12V	65/55W	PX29t	Clear	19			Standard
9007	12V	65/55W	PX29t	Blue	20			Standard
9005 (HB3)	12V	65W	P20d	Clear	21			Standard
9005 (HB3)	12V	65W	P20d	Blue	22			Standard
9006 (HB4)	12V	55W	P22d	Clear	23			Standard
9006 (HB4)	12V	55W	P22d	Blue	24			Standard



Fig. No. 21



Fig. No. 22



Fig. No. 23



Fig. No. 24

Packaging	Content	Master Pack
Individual Box	1N	400 Pcs
Plastic Case	2N	100 Sets
Blister Pack Available		

HS1



Fig. No. 25



Fig. No. 26

Part No.	Voltage	Wattage	Base	Color	Fig No.	ECE	Features
HS1	12V	35/35W	Px43t	Clear	25		Standard
HS1	12V	45/40W	Px43t	Clear	25		High Power
HS1	12V	35/35W	Px43t	Blue	26		Standard

LOW BEAM, HIGH BEAM, FOG LAMP (WHEN IT APPLIES)

Packaging	Content	Master Pack
Individual Box	1N	400 Pcs



Fig. No. 27

Part No.	Voltage	Wattage	Base	Color	Fig No.	ECE	Features
LED HS1	12V	6/7W	Px43t	White	27		Standard

H4 Xenon Gold & Extra Power



Fig. No. 28



Fig. No. 29

Part No.	Voltage	Wattage	Base	Color	Fig No.	ECE	Features
H4	12V	60/55W	P43t	Gold	28		Standard
H4	12V	130/100W	P43t	Gold	28		Higher Wattage
H4	24V	130/100W	P43t	Gold	28		Higher Wattage
H4	12V	150/120W	P43t	Xenon Gold	28		Higher Wattage
H4	24V	150/120W	P43t	Xenon Gold	28		Higher Wattage
H4	12V	150/120W	P43t		29		Extra Power
H4	24V	150/120W	P43t		29		Extra Power

LOW BEAM, HIGH BEAM, FOG LAMP (WHEN IT APPLIES)

Packaging	Content	Master Pack
Individual Box (7 Pcs.)	1N	252 Pcs
Individual Box (Gold)	1N	400 Pcs
Individual Box (Xenon Gold)	1N	200 Pcs
Individual Box (Extra Power)	1N	200 Pcs



MINIATURE AND INCANDESCENT BULBS



Dash Board & Meter Bulbs



Fig. No.	ECE Part No.	SAE Part No.	Voltage	Wattage	Base	Shell DIA (mm)	Color
30	T4W (12)	TM53	12V	2W	BA 7s	6.8	Clear
30	T4W (24)	24TM	24V	2W	BA 7s	6.8	Clear
31	T4W (12)	TD53	12V	2W	BA 9s	8.8	Clear
31	T4W (24)	24TD	24V	2W	BA 9s	8.8	Clear
31	T4W (12)	53A	12V	3W	BA 9s	8.8	Clear
32	T4W (12)	1204	12V	4W	BA 9s	8.8	Clear
32	T4W (24)	2404	24V	4W	BA 9s	8.8	Clear

STD PACKING. 2000

Side, Rear & Number Plate Bulbs (Single Contact)



Fig. No.	ECE Part No.	SAE Part No.	Voltage	Wattage	Base	Shell DIA (mm)	Color
33	R5W	67	12V	5W	BA 15s	19	Clear
33	R5W	2467	24V	5W	BA 15s	19	Clear
33	R10W	91	12V	10W	BA 15s	19	Clear
33	R10W	2491	24V	10W	BA 15s	19	Clear
34	RY5W	67 (A)	12V	5W	BAU 15s	19	Amber
34	RY5W	2467 (A)	24V	5W	BAU 15s	19	Amber
34	RY10W	91 (A)	12V	10W	BAU 15s	19	Amber

STD PACKING. 1000

Wedge Type Bulbs



Fig. No.	ECE Part No.	SAE Part No.	Voltage	Wattage	Base	Shell DIA (mm)	Color
35	W5W	T10	12V	5W	W2.1x9.5D	10	Clear
35	W5W	T10	24V	5W	W2.1x9.5D	10	Clear
36	WY5W	T10 (A)	12V	5W	W2.1x9.5D	10	Amber
36	WY5W	T10 (A)	24V	5W	W2.1x9.5D	10	Amber
36	WY10W	T10 (A)	12V	10W	W2.1x9.5D	15	Amber

STD PACKING. 2000

Tail Lamp & Side Lamp Bulbs



Fig. No.	ECE Part No.	SAE Part No.	Voltage	Wattage	Base	Shell DIA (mm)	Color
37	P21W	1141	12V	21W	BA 15s	25	Clear
37	P21W	2441	24V	21W	BA 15s	25	Clear
38	P21/5W	1016	12V	21/5W	BAY 15d	25	Clear
38	P21/5W	2454	24V	21/5W	BAY 15d	25	Clear
39	PY21W	1141Y	12V	21W	BAU 15s	25	Amber
39	PY21W	2441Y	24V	21W	BAU 15s	25	Amber
40	PY21/5W	1016Y	12V	21/5W	BAY 15d	25	Amber
40	PY21/5W	2454Y	24V	21/5W	BAY 15d	25	Amber

STD PACKING. 1000



AUTOMOTIVE HEAD LAMPS



7" (178mm) ROUND HEAD LAMP H6024



Fig. No. 41



Fig. No. 42

PRODUCT DESCRIPTION

MODEL NO.

PAI - 001 (Curved Lens)
PAI - 001 MSR (Curved Lens)
PAI - 002 (Raised Flat Lens)
PAI - 002 MSR (Raised Flat Lens)

BULB FITMENT

H4 P43t, H4 P45t, H4 P36t

TRAFFIC

LHT/RHT

STD.PKG

18 PCS.

PARKING (WITH/WITHOUT)

5^{3/4}" (146mm) ROUND HEAD LAMP H5006



Fig. No. 43



Fig. No. 44

PRODUCT DESCRIPTION

MODEL NO.

PAI - 003 (Curved Lens)
PAI - 003 MSR (Curved Lens)
PAI - 004 (Raised Flat Lens)
PAI - 004 MSR (Raised Flat Lens)

BULB FITMENT

H4 P43t, H1, H4 P45t

TRAFFIC

LHT/RHT

STD.PKG

32 PCS.

*PARKING (WITH/WITHOUT)

4"x6" (165x106mm) RECTANGULAR HEAD LAMP H4656



Fig. No. 45



Fig. No. 46

PRODUCT DESCRIPTION

MODEL NO.

PAI - 005

PAI - 005 MSR

BULB FITMENT

H4 P43t, H1, H4 P45t

TRAFFIC

LHT/RHT

STD.PKG

18 PCS.

***PARKING (WITH/WITHOUT)**

7"x6" (200x142mm) RECTANGULAR HEAD LAMP H6054



Fig. No. 47



Fig. No. 48

PRODUCT DESCRIPTION

MODEL NO.

PAI - 006

PAI - 006 MSR

BULB FITMENT

H4 P43t, H4 P45t

TRAFFIC

LHT/RHT

STD.PKG

12 PCS.

***PARKING (WITH/WITHOUT)**

Head Lamp Assembly TATA 407/709/1109 Trucks (With Motorised System)



Fig. No. 49



Fig. No. 50

PRODUCT DESCRIPTION

MODEL NO.

PAI - 015 P LEFT/RIGHT
PAI - 015 MSR P LEFT/RIGHT

BULB FITMENT

H4 P43t, T4W

TRAFFIC.

LHT

STD. PKG

6 Pcs.

Head Lamp Assembly TATA 1613 Truck (With Motorised System)



Fig. No. 51



Fig. No. 52

PRODUCT DESCRIPTION

MODEL NO.

PAI - 016 P LEFT /RIGHT
PAI - 016 MSR P LEFT /RIGHT

BULB FITMENT

H4 P43t, T4W

TRAFFIC.

LHT

STD.PKG

6 Pcs.

Head Lamp Assembly TATA 1516/1615/2416/2516/2518/2523/3516/4018/4923 Trucks (With Motorised System)



Fig. No. 53



Fig. No. 54

PRODUCT DESCRIPTION

MODEL NO.

PAI - 017 P LEFT/RIGHT
PAI - 017 MSR P LEFT/RIGHT

BULB FITMENT

H4 P43t, T4W

TRAFFIC.

LHT

STD.PKG

6 Pcs.

Head Lamp Assembly TATA 1613 Trucks with Motorised System & LED Ring (WHITE/INDICATOR/TRIANGA)



Fig. No. 55



Fig. No. 56



Fig. No. 57

PRODUCT DESCRIPTION

MODEL NO.

PAI - 016 MSRL LEFT/RIGHT

BULB FITMENT

H4 P43t

TRAFFIC

LHT

STD.PKG

6 Pcs.

LED RING

12V / 24V

Head Lamp Assembly TATA 407/709/1109 Trucks with Motorised System & LED Ring (WHITE/INDICATOR/TRIANGA)



Fig. No. 58



Fig. No. 59



Fig. No. 60

MODEL NO.

PAI - 015 MSRL LEFT/RIGHT

BULB FITMENT

H4 P43t

TRAFFIC

LHT

STD.PKG

6 Pcs.

LED RING

12V

Head Lamp Assembly TATA 1516/2416 Trucks with Motorised System & LED Ring (WHITE/INDICATOR/TRIANGA)



Fig. No. 61



Fig. No. 62



Fig. No. 63

PRODUCT DESCRIPTION

MODEL NO.

PAI - 017 MSRL LEFT/RIGHT

BULB FITMENT

H4 P43t

TRAFFIC

LHT

STD.PKG

6 Pcs.

LED RING

24V

Head Lamp Assembly TATA ACE FACELIFT (With Motorized System)



Fig. No. 64

PRODUCT DESCRIPTION

MODEL NO.

PAI - 012 LEFT/RIGHT

BULB FITMENT

H4 P43t

TRAFFIC.

LHT

STD.PKG

4 Pcs.

Head Lamp Assembly for TATA ACE



Fig. No. 65

PRODUCT DESCRIPTION

MODEL NO.

PAI - 001 (TA) P LEFT/RIGHT

PAI - 001 (TA) MSR P LEFT/RIGHT

BULB FITMENT

H4 P43t, T4W

TRAFFIC

LHT

STD.PKG

12 Pcs.

Head Lamp Assembly for SML Isuzu Truck



Fig. No. 66

PRODUCT DESCRIPTION

MODEL NO.

PAI - 005 (SML) WITH RIM ASSEMBLY

BULB FITMENT

H4 P43t

TRAFFIC

LHT

STD.PKG

18 Pcs.

Eicher Canter (Round)



Fig. No. 67

PRODUCT DESCRIPTION

MODEL NO.

PAI - 003 (EML) LEFT/RIGHT

PAI - 003 (EML) P LEFT/RIGHT

PAI - 003 (EML) P MSR LEFT/RIGHT

BULB FITMENT

H4 P43t, T4W

TRAFFIC

LHT

STD.PKG

32 Pcs.

Eicher Canter (Square)



Fig. No. 68

PRODUCT DESCRIPTION

MODEL NO.

PAI - 006 with Rim

PAI - 006 MSR with Rim

BULB FITMENT

H4 P43t, T4W

TRAFFIC

LHT

STD.PKG

12 Pcs.

Head Lamp Assembly for Ashok Leyland Trucks



Fig. No. 69

PRODUCT DESCRIPTION

MODEL NO.

PAI - 038 (AL) P Full Doome
PAI - 038 (AL) MSR P Full Doome

BULB FITMENT

H4 P43t, T4W

TRAFFIC

LHT

STD.PKG

12 Pcs.

Head Lamp Assembly for Ashok Leyland Cargo



Fig. No. 70

PRODUCT DESCRIPTION

MODEL NO.

PAI - 015 (AL-Cargo) LEFT/RIGHT
PAI - 015 (AL-Cargo) MSR LEFT/RIGHT
PAI - 015 (AL-Cargo) MSR LED 12V LEFT/RIGHT

BULB FITMENT

H4 P43t, T4W

TRAFFIC

LHT

STD.PKG

8 Pcs.



AUXILIARY LAMPS WORK LAMPS





Fig. No. 71

PRODUCT DESCRIPTION

MODEL NO.

PAI - 025 (Square Work Lamp)

BULB FITMENT

H3

SIZE:

115 x 104mm

FINISH:

PLASTIC

STD.PKG

24 Pcs.

*Also Available with Swivel Mounting Bracket



Fig. No. 72

PRODUCT DESCRIPTION

MODEL NO.

PAI - 026 (Rectangular Work Lamp)

BULB FITMENT

H3

SIZE:

153 x 95mm

FINISH:

PLASTIC

STD.PKG

18 Pcs.

*Also Available with Swivel Mounting Bracket

Massey Ferguson & TAFE



Fig. No. 73

PRODUCT DESCRIPTION

MODEL NO.

PAI - 027 (Left/Right)

BULB FITMENT

H4 P45t

BEAM SIZE:

130 mm DIA

TRAFFIC

LHT/RHT

STD.PKG

32 Pcs.

Massey Ferguson & TAFE



Fig. No. 74



Fig. No. 75

PRODUCT DESCRIPTION

MODEL NO.

PAI - 029

PAI - 029 MSR

BULB FITMENT

H4 P45t / H4 P43t

TRAFFIC

LHT/RHT

STD.PKG

18 Pcs.

Massey Ferguson International & Ford



Fig. No. 76

PRODUCT DESCRIPTION

MODEL NO.

PAI - 028 (Left/Right)

BULB FITMENT

H4 P45t

FINISH:

RED / BLACK / BLUE

BEAM SIZE:

150mm DIA

STD.PKG

18 Pcs.

Universal Type Earth Movers / Tractor Lamps



Fig. No. 77

PRODUCT DESCRIPTION

MODEL NO.

PAI - 030 With Grill

BULB FITMENT

H4 P45t

SIZE:

155mm DIA

TRAFFIC

RHT

FINISH:

Black

STD.PKG

18 Pcs.

Universal Type Earth Movers / Tractor Lamps



Fig. No. 78

PRODUCT DESCRIPTION

MODEL NO.

PAI - 031

BULB FITMENT

H4 P45t

SIZE:

155mm DIA

TRAFFIC

RHT

FINISH:

Black

STD.PKG

18 Pcs.

Work Lamp



Fig. No. 79



Fig. No. 80

PRODUCT DESCRIPTION

MODEL NO.

PAI - 052 With Grill

PAI - 052 Without Grill

BULB FITMENT

H3

FINISH:

Black / Red / Blue / Orange

SIZE:

150mm DIA

STD.PKG

12 Pcs.

*Available with Swivel Mounting Bracket

MINI SPOT LAMP



Fig. No. 81

PRODUCT DESCRIPTION

MODEL NO.

PAI - 032

BULB FITMENT

H3

SIZE:

94mm DIA

FINISH:

Black / Chrome

LENS:

Clear / Yellow

STD.PKG

40 Pcs.

MEGA SPOT LAMP



Fig. No. 82

PRODUCT DESCRIPTION

MODEL NO.

PAI - 033

BULB FITMENT

H3

SIZE:

116mm DIA

FINISH:

Black / Chrome

LENS:

Clear / Yellow

STD.PKG

36 Pcs

Fog / Spot Lamp



Fig. No. 83



Fig. No. 84

PRODUCT DESCRIPTION

MODEL NO.
PAI - 053

BULB FITMENT
H3

SIZE:
110mm DIA

FINISH:
Black / Chrome

LENS:
Clear / Yellow

STD.PKG
32 Pcs.

Fog / Spot Lamp



Fig. No. 85



Fig. No. 86

PRODUCT DESCRIPTION

MODEL NO.
PAI - 055

BULB FITMENT
H3

SIZE:
132mm DIA

FINISH:
Black

LENS:
Clear / Yellow

STD.PKG
32 Pcs.

HIGH POWER



Fig. No. 87

PRODUCT DESCRIPTION

MODEL NO.

PAI - 041

BULB FITMENT

H4 P43t

SIZE:

154mm DIA

FINISH:

Black

LENS:

Clear / Yellow

STD.PKG

24 Pcs.

MINI BOSS



Fig. No. 88



Fig. No. 89

PRODUCT DESCRIPTION

MODEL NO.

PAI - 042

BULB FITMENT

H4 P43t

SIZE:

154mm DIA

FINISH:

Black

LENS:

Clear / Yellow

STD.PKG

24 Pcs.

Rubber Body Spot Lamp



Fig. No. 90

PRODUCT DESCRIPTION

MODEL NO.
PAI - 050

BULB FITMENT
H3

SIZE:
125mm DIA

LENS:
Clear / Yellow

STD.PKG
24 Pcs.

Rubber Body Work Lamp



Fig. No. 91

PRODUCT DESCRIPTION

MODEL NO.
PAI - 051

BULB FITMENT
H3


SIZE:
125mm DIA

LENS:
Clear

STD.PKG
24 Pcs.



LED LAMPS



Slim Square Flood Lamp



Fig. No. 92

PRODUCT DESCRIPTION

9 x 1.5W LEDs

Model No.	: PAI - 501
Dimension (mm)	: 129 x 100 x 40
Voltage	: 12/24 Multivolt
Beam Type	: Flood
Housing	: Black Powder-Coated Die Cast Aluminium
Lens	: Polycarbonate
Ingress Protection	: IP67

Slim Round Flood Lamp



Fig. No. 93

PRODUCT DESCRIPTION

9 x 1.5W LEDs

Model No.	: PAI - 502
Dimension (mm)	: 129 x 107 x 42
Voltage	: 12/24 Multivolt
Beam Type	: Flood
Housing	: Black Powder-Coated Die Cast Aluminium
Lens	: Polycarbonate
Ingress Protection	: IP67

Mini Square Work Lamp



Fig. No. 94



Fig. No. 95

PRODUCT DESCRIPTION

4 x 3W LEDs

Model No. : PAI - 503

Dimension (mm) : 81 x 110 x 67

Voltage : 12/24 Multivolt

Beam Type : Flood

Housing : Black/White Powder-Coated
Die Cast Aluminium

Lens : Polycarbonate

Ingress Protection : IP67

Mini Round Work Lamp



Fig. No. 96



Fig. No. 97

PRODUCT DESCRIPTION

4 x 3W LEDs

Model No. : PAI - 504

Dimension (mm) : 88 x 157 x 55

Voltage : 12/24 Multivolt

Beam Type : Flood

Housing : Black/White Powder-Coated
Die Cast Aluminium

Lens : Polycarbonate

Ingress Protection : IP67

Mini Round work Lamp – Amber Light Output



Fig. No. 98

PRODUCT DESCRIPTION

4 x 3W LEDs

Model No.	: PAI-505
Dimension (mm)	: 88 x 157 x 55
Voltage	: 12/24 Multivolt
Beam Type	: Flood
Housing	: Black Powder-Coated Die Cast Aluminium
Lens	: Clear Polycarbonate
Ingress Protection	: IP67

OVAL Flood Lamp



Fig. No. 99

PRODUCT DESCRIPTION

8 x 3W LEDs

Model No.	: PAI-506
Dimension (mm)	: 143 x 120 x 65
Voltage	: 12/24 Multivolt
Beam Type	: Flood
Housing	: Black Powder-Coated Die Cast Aluminium
Lens	: Polycarbonate
Ingress Protection	: IP67

High-Power Square Lamp



Fig. No. 100

PRODUCT DESCRIPTION

9 x 3W LEDs

Model No. : PAI - 507

Dimension (mm) : 128 x 110 x 55

Voltage : 12/24 Multivolt

Beam Type : Flood

Housing : Black Powder-Coated Die Cast Aluminium

Lens : Clear Polycarbonate

Ingress Protection : IP67

High-Power Round lamp



Fig. No. 101

PRODUCT DESCRIPTION

9 x 3W LEDs

Model No. : PAI - 508

Dimension (mm) : 128 x 110 x 55

Voltage : 12/24 Multivolt

Beam Type : Flood

Housing : Black Powder-Coated Die Cast Aluminium

Lens : Clear Polycarbonate

Ingress Protection : IP67

High-Power Slim Rectangular Lamp



Fig. No. 102

PRODUCT DESCRIPTION

6 x 3W LEDs

Model No.	: PAI - 509
Dimension (mm)	: 160 x 45 x 63
Voltage	: 12/24 Multivolt
Beam Type	: Flood
Housing	: Black/White Powder-Coated Die Cast Aluminium
Lens	: Clear Polycarbonate
Ingress Protection	: IP67

Led Fog Lamp



Fig. No. 103

PRODUCT DESCRIPTION

1 x 15W LED

Model No.	: PAI - 510
Dimension (mm)	: 90
Voltage	: 12/24 Multivolt
Lens	: Clear Polycarbonate
Ingress Protection	: IP67

Universal Mini Bar Light



Fig. No. 104

PRODUCT DESCRIPTION

6 x 3W LEDs

Model No.	: PAI - 511
Dimension (mm)	: 100 x 50 x 50
Voltage	: 12/24 Multivolt
Beam Pattern	: Spot beam
Housing	: Black Powder-Coated Die Cast Aluminum
Lens	: Clear Polycarbonate
Ingress Protection	: IP67

Led Bar Lamp



Fig. No. 105

PRODUCT DESCRIPTION

12 x 3W LEDs

Model No.	: PAI - 512
Dimension (mm)	: 17 x 7 x 8
Voltage	: 12/24 Multivolt
Lens	: Clear Polycarbonate
Ingress Protection	: IP67

Round Reverse / Work Lamp



Fig. No. 106

PRODUCT DESCRIPTION

6 x 3W LEDs

Model No.	: PAI - 513
Dimension (mm)	: 89 x 89 x 58
Voltage	: 12/24V Multivolt
Beam Type	: Flood
Housing	: Black Powder-Coated Die Cast Aluminium
Lens	: Polycarbonate
Ingress Protection	: IP67

Square Reverse / Work Lamp



Fig. No. 107

PRODUCT DESCRIPTION

4 x 3W LEDs

Model No.	: PAI - 514
Dimension (mm)	: 73 x 73 x 31
Voltage	: 12/24 Multivolt
Beam Type	: Flood
Housing	: Black Powder-Coated Die Cast Aluminium
Lens	: Polycarbonate
Ingress Protection	: IP67

4 Pin
Female Connector




Fig. No. 108

H8/H9/H11 Holder



Fig. No. 109

H1 Holder



Fig. No. 110

H7 Holder



Fig. No. 111

Fuse Holder
(Incl. 20 AMP Fuse)



Fig. No. 112

H4 Holder
(Cermic)



Fig. No. 113

H4 Holder
(Nylon)



Fig. No. 113

8 mm Wire



Fig. No. 114

6 mm Wire



Fig. No. 115

Battery Wire



Fig. No. 116



Fig. No. 117

Roof Top Lamp (Universal)

Model No. : PAI - 020

STD Pkg. : 72 Pcs.



Fig. No. 118

Side Indicator Lamp Suitable for Tata

Model No. : PAI - 228 (Left/Right)

STD Pkg. : 48 Pcs.



Fig. No. 119

Side Indicator Lamp

Model No. : PAI - 018

STD Pkg. : 48 Pcs.



Fig. No. 120

T/C Assembly 4 Chamber (Universal)

Model No. : PAI - 019 (Left/Right)

Coupler Type : Dual / Normal / MSSL

STD Pkg. : 12 Pcs.





Focus on Delight

Contact Us:




PINGAAX AUTOMOTIVE INDUSTRIES

Plot No. : B-2, Near Patrakar Colony
Ksheer Sagar Colony, Muhana Road,
Golyawas, Mansarovar, Jaipur-302020 (INDIA)

Email: info@pingaax.com

Website: www.pingaax.com

COMPLETE VEHICLE LIGHTING SOLUTIONS



As further testimony to our commitment in achieving excellence across all aspects of the business, Auto Lamps are certified to ISO9001:2015, the internationally recognised Quality Management Standard.

This is our guarantee to you of exceptional customer service, unrivalled technical expertise and dedicated after sales care.

